#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization

International Bureau



# 

(43) International Publication Date 17 February 2005 (17.02.2005)

PCT

### (10) International Publication Number WO 2005/015332 A2

(51) International Patent Classification7: G05B 23/02. 13/04, 17/02

(21) International Application Number:

PCT/US2004/025733

(22) International Filing Date: 9 August 2004 (09.08.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/493,198


7 August 2003 (07.08.2003)

- (71) Applicant (for all designated States except US): SIKO-RSKY AIRCRAFT CORPORATION [US/US]; 6900 Main Street, PO Box 9729, Stratford, CT 06615 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): KHIBNIK, Alexander [US/US]; 398 Old Stage Road, Glastonbury, CT 06033 (US). ATALLA, Mauro Jorgre [BR/US]; 99 Lakewood Road, South Glastonbury, CT 06073 (US). FINN, Alan M. [US/US]; 19 Cedar Ridge Drive, Hebron, CT 06248

- (US). DAVIS, Mark W. [US/US]; 42 Valley View Lane, Vernon, CT 06066 (US). MA, Jun [CN/US]; 465 Buckland Hills Drive, Apt. 25-324, Manchester, CT 06040 (US). CYCON, James [US/US]; 346 Arbor Circle, Media, PA 19063 (US). HORBURY, Peter F. [US/US]; 1630 Main Street, Stratford, CT 06615 (US). BERNHARD, Andreas [ZA/US]; 142 Hillside Avenue, Apartment 3, Shelton, CT 06484 (US).
- (74) Agent: SHIH, Anna, M.; Carlson, Gaskey & Olds, 400 West Maple Road, Suite 350, Birmingham, MI 48009 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,

[Continued on next page]

#### (54) Title: VIRTUAL LOAD MONITORING SYSTEM AND METHOD



(57) Abstract: A method and system estimates a desired output signal waveform based on measured state parameters. A model training step generates a model by empirically obtaining measured signal waveforms corresponding to measured state parameters. Features, such as mode shapes and mode amplitudes, are extracted from the measured signals and stored in an estimation model along with coefficients of the model that correlate measured state parameters with the mode amplitudes. During part operation, the state parameters measured during operation are entered into the estimation model to obtain estimated features in a estimated signal waveform. The estimated features are then used to synthesize the estimated signal reflecting the actual operation of the operating part. The estimation model therefore allows estimation of an entire signal waveform from the state parameters.



## WO 2005/015332 A2



ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

#### Published:

 without international search report and to be republished upon receipt of that report

### (19) World Intellectual Property Organization International Bureau





(43) International Publication Date 17 February 2005 (17.02.2005)

**PCT** 

### (10) International Publication Number WO 2005/015332 A3

G05B 23/02, (51) International Patent Classification7: 13/04, 17/02

(21) International Application Number:

PCT/US2004/025733

(22) International Filing Date: 9 August 2004 (09.08.2004)

(25) Filing Language:

**English** 

(26) Publication Language:

English

(30) Priority Data: 60/493,198

7 August 2003 (07.08.2003) US


- (71) Applicant (for all designated States except US): SIKO-RSKY AIRCRAFT CORPORATION [US/US]; 6900 Main Street, PO Box 9729, Stratford, CT 06615 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): KHIBNIK, Alexander [US/US]; 398 Old Stage Road, Glastonbury, CT 06033 (US). ATALLA, Mauro Jorgre [BR/US]; 99 Lakewood Road, South Glastonbury, CT 06073 (US). FINN, Alan M. [US/US]; 19 Cedar Ridge Drive, Hebron, CT 06248

(US). DAVIS, Mark W. [US/US]; 42 Valley View Lane, Vernon, CT 06066 (US). MA, Jun [CN/US]; 465 Buckland Hills Drive, Apt. 25-324, Manchester, CT 06040 (US). CYCON, James [US/US]; 346 Arbor Circle, Media, PA 19063 (US). HORBURY, Peter F. [US/US]; 1630 Main Street, Stratford, CT 06615 (US). BERNHARD, Andreas [ZA/US]; 142 Hillside Avenue, Apartment 3, Shelton, CT 06484 (US).

- (74) Agent: SHIH, Anna, M.; Carlson, Gaskey & Olds, 400 West Maple Road, Suite 350, Birmingham, MI 48009 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

#### (54) Title: VIRTUAL LOAD MONITORING SYSTEM AND METHOD



(57) Abstract: A method and system estimates a desired output signal waveform based on measured state parameters. A model training step generates a model by empirically obtaining measured signal waveforms corresponding to measured state parameters. Features, such as mode shapes and mode amplitudes, are extracted from the measured signals and stored in an estimation model along with coefficients of the model that correlate measured state parameters with the mode amplitudes. During part operation, the state parameters measured during operation are entered into the estimation model to obtain estimated features in a estimated signal waveform. The estimated features are then used to synthesize the estimated signal reflecting the actual operation of the operating part. The estimation model therefore allows estimation of an entire signal waveform from the state parameters.

# WO 2005/015332 A3



GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- with international search report

- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report: 14 April 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.